

## The Pacific Pipeline

The Monthly Newsletter of Pacific Pump and Power Rental • Sales • Service • Operations

**August 2017** *License# C-32223* 

Turn Key Bypassing



Pacific Pump & Power has been providing reliable sewer bypassing solutions in the Hawaiian Islands and Guam for over a decade. We do bypasses on all of the islands and have done so on some of the largest sewer lines in the state! We have been involved in iconic bypasses such as the Ala Wai Beach Walk Pump Station bypass. Our equipment and expertise were utilized, but our crews were not running the bypass 100%. We have also done turn key bypasses for some of the highest profile, right in the public eye jobs, like the sewer line upgrades for the Hilton and Royal Hawaiian Hotels right in the center of Waikiki, and sewer line upgrades that crossed the entrance of Schofield Barracks all the way down Lyman Road!

Sewer bypassing incudes an inherent risk because we are disturbing the engineered flow of things and bringing raw sewage above ground with temporary pumps through temporary piping. We do this with incredible success, putting attention to a few critical items.

- We analyze all the potential problems in advance so we can make sure we have a plan to mitigate these issues if they were to occur.
- We have the best trained personnel in the industry actively setting up, testing and watching our pumps in operation.
- All of our HDPE fusion is done by certified fusers on well maintained and calibrated equipment with an industry respected McElroy certification that adheres to the ASTM 2620 standards of pipe fusion.
- We have the right equipment for the job and implement little details that we have learned over time to maximize success.
- We have a large fleet of equipment ready to go for swapping out any problematic items on a bypass promptly, 24/7.

If you would like HDPE Fusion Training for your crews, please call us at 808-672-8198 or email Sales@PacificPumpandPower.com.









## The Pacific Pipeline

The Monthly Newsletter of Pacific Pump and Power

**August 2017** *License# C-32223* 

Rental • Sales • Service • Operations

Pump Type	Quantity	Pump Model and Description
Oahu Yard		
Godwin Dri-Prime CD Series Pumps, High Volume, Medium Head, Large Solids-Handling Capabilities	50 AVAILABLE	<ul> <li>DPC300 12" Diesel, up to 5000 gpm or up to 115' of head</li> <li>DPC300 12" Electric, up to 4000 gpm or up to 115' of head</li> <li>CD2258"Diesel, up to 3100 gpm or up to 183' of head</li> <li>CD2258"Electric, up to 3100 gpm or up to 175' of head</li> <li>CD150M6"Diesel, up to 1700 gpm or up to 160' of head</li> <li>CD103M4"Diesel, up to 1000 gpm or up to 170' of head</li> <li>CD100M4"Diesel, up to 750 gpm, or up to 115' of head</li> </ul>
		<ul> <li>CD80M3" Diesel, up to 450 gpm or up to 93' of head</li> <li>NC803" Diesel, up to 530 gpm or up to 109' of head</li> </ul>
Godwin HL Series, High Head Pumps with Solids-Handling Capabilities	7 AVAILABLE	HL150M6"Diesel, up to 1450 gpm or up to 500' of head     HL80M, 3" Diesel, up to 450 gpm or up to 325' of head
Godwin Heidra Hydraulic Submersibles	9 AVAILABLE	<ul> <li>HS150VSG 6", Diesel, up to 1600 gpm or up to 160' of head</li> <li>HS150V6", Diesel, up to 1600 gpm or up to 160' of head</li> <li>HS100TD 4", Diesel, up to 800 gpm or up to 130' of head</li> <li>HS80HH3", Diesel, up to 420 gpm or up to 125' of head</li> </ul>
Electric Submersibles	41 AVAILABLE	Godwin GSP600SV, 8", up to 3650 gpm or up to 82' of head Godwin GSP160HV, 6", up to 1200 gpm or up to 115' of head Godwin GSP55, 4", up to 550 gpm or up to 75' of head Stancor SSS-100, 2" Stainless, 100 gpmor up to 60' of head Stancor SSS-75, 2" Stainless, 80 gpm or up to 40' of head Stancor SV-50, 2" Stainless, 80 gpm or up to 40' of head Stancor SV-100 2" Stainless, 110 gpm or up to 50' of head Stancor SSD-200, 3" Stainless, 180 gpmor up to 55' of head Stancor SEW-75, 2" Stainless, 95 gpm or up to 9' of head Stancor SEW-100, 2" Stainless, 111 gpm or up to 35' of head Stancor SEW-200, 2" Stainless, 190 gpm or up to 52' of head
Wet-Prime Gas Trash Pumps	17 AVAILABLE	<ul> <li>WT40X 4"up to 430gpm or up to 92' of head</li> <li>GPP 50HX 2" Wet Prime Pressure GX160</li> <li>Godwin GTP50HX 2" up to 185 gpm or up to 98' of head</li> <li>Godwin GTP80HX, 3" up to 355gpm or up to 90' of head</li> <li>Godwin GTP100HX, 4" up to 430 gpm or up to 92' of head</li> </ul>
Versamatic Diaphragm Pumps	16 AVAILABLE	Versamatic Air Operated E3, 3", up to 260 gpm  Versamatic Air Operated E2, 2", up to 155 gpm  Versamatic Air Operated E1, 1", up to 46 gpm
Hydrostatic Test Pumps and Wheel Kit	1 AVAILABLE	Rice TR8H – Honda 13 HP, 389CC gasoline engine
Flow Meter	1 AVAILABLE	12" M0300 Bolt on Saddle Flow Meter
Power Diesel Generator Sets	4 AVAILABLE	Godwin 26kW-R Series, Critically Silenced  125kVA MultiQuip WhisperWatt  Kubota 10kw  Atlas Copco 25 kva  Atlas Copco 330 kva
Gasoline Generator Sets	8 AVAILABLE	3000 & 2000 Watt, Portable Honda Quiet Model     Generac Generator 10,000 Watt
Godwin Portable Light Towers	3 AVAILABLE	GLT 416, 4000 Watts, Coverage of 5-7 acres
Road Ramp Crossings	7 AVAILABLE	6", 8" and 12" Road Ramps Crossings
Air Compressor	5 AVAILABLE	Atlas Copco Air Compressor 185, Atlas Copco Air Compressor 400
Hydraulic Hoses	2,300 FEET	• 1/4", 1/2", 3/4" and 1" Hydraulic Hose with Couplers
Heavy Duty Hoses	14,512 FEET	• 2", 3", 4", 6", 8", and 12" Heavy Duty Suction and Discharge







Bauer Light Weight, Quick Disconnect Pipe

Bauer Light Weight, Quick Disconnect Pipe

**Pump Accessories** 

Pump Parts

McElroy Parts

Heavy Duty Hoses

Road Ramp Crossings

Gasoline Generator Sets

Maui Yard

Pipe Plugs

**HDPE** Pipes and Fittings

McElroy Fusion Machines



5,795 FEET

4,000 IN STOCK

1,600 IN STOCK

52 AVAILABLE

7 AVAILABLE

145 In STOCK

410 FEET

120 FEET

1 AVAILABLE

1 AVAILABLE

23,317 FEET

• Hose Available with Quick Disconnect Fittings

• Bauer and Camlock Fittings from 2-12" Available

• 18"DR26and18"DR32.5HDPEPipe

in 10' and 20' Lengths

• 12" DR11 HDPE Pipe

Assorted parts and inserts

• 6"Roadramp crossing

2000 Watt, Portable Honda Quiet Model

• 4", 6", 8", and 12" Bauer Light Weight Quick Disconnect Pipe

 $\Box$  2", 3", 4", 6", 8", 10, 12", 14" 18", 24" HDPE Fittings

• PitBull 26 fuses 2-6" HDPE, 2LC fuses 1/2-2", Pitbull 14 fuses 1-4"

6"Bauer Light Weight Quick Disconnect Pipe in 10' and 20' Lengths
8" Bauer Light Weight Quick Disconnect Pipe in 10' and 20' Lengths
6"Heavy Duty Suction Hoses Available with Quick Disconnect Fittings

□ 4-8", 6", 8-12", 12-18", 18-24", 15-30", 24-36" and 24-42", 24-48", 84" with

• T500 II fuses 6-20" HDPE, Rolling 618 fuses 6-18" HDPE, Rolling 28 fuses 2-8" HDPE

• Common Wear Parts for all Pumps Already in Stock

Protective Sleeves and Poly-Lift Line Inflators









FOR UNDERGROUND/CONSTRUCTION
Covers sizes ranging from 2" IPS - 20" OD (63mm - 500mm), including our TracStar® line of machines.

## \*\*\*Reminder\*\*\*

Pacific Pump & Power is holding a combined Small and Medium Diameter HDPE Fusion Class September 7<sup>th</sup>, 8<sup>th</sup>, 11<sup>th</sup> and 12<sup>th</sup>. This course will certify attendees to fuse pipe from ½" CTS up to 20" OD Piping! Space is filling up fast so get registered right away if you are interested in attending!



SMALL DIAMETER
FOR UNDERGROUND/CONSTRUCTION

Covers sizes ranging from ½" CTS - 6" DIPS (16mm - 180mm), including socket fusion and hot tap.